




China 608zz Bearing Supplier

Miniature NTN Brand skate bearing 608 zz 2rs deep groove ball bearing for USA



Bearing No. 608

608 Bearing 2D drawings and 3D CAD models

| | |
|-------------------------------|--------------|
| Size | 8x22x7 mm |
| Bore Diameter | 8 mm |
| Outer Diameter | 22 mm |
| Width | 7 mm |
| d | 8 mm |
| D | 22 mm |
| B | 7 mm |
| C | 7 mm |
| r min. | 0,3 mm |
| da min. | 10 mm |
| da max | 12,2 mm |
| Da max. | 20 mm |
| ra max. | 0,3 mm |
| Weight | 12 Kg |
| Basic dynamic load rating (C) | 3,35 kN |
| Basic static load rating (C0) | 1,4 kN |
| (Grease) Lubrication Speed | 32 000 r/min |
| (Oil) Lubrication Speed | 37 000 r/min |
| rs min | 0.3 mm |
| Radial clearance class | CN |
| Mass | 0.01 kg |
| Dynamic load, C | 3.35 kN |
| Static load, C0 | 1.4 kN |
| Fatigue limit load, Cu | 0.06 kN |
| f0 | 12.5 |



China 608zz Bearing Supplier

| | |
|---------------------------------|--|
| Nlim (oil) | 37,000 rpm |
| Nlim (grease) | 32,000 rpm |
| Min operating temperature, Tmin | -20 ° C |
| Max operating temperature, Tmax | 120 ° C |
| da min | 10 mm |
| Da max | 20 mm |
| ra max | 0.3 mm |
| Category | Single Row Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.012 |
| EAN | 4547359010572 |
| Product Group | B00308 |
| Enclosure | Open |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 8MM Bore; 22MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |



China 608zz Bearing Supplier

| | |
|------------------------------|---|
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.snrbearings.com |
| Manufacturer Item Number | 608 |
| Weight / LBS | 0.026 |
| Outside Diameter | 0.866 Inch 22 Millimeter |
| Bore | 0.315 Inch 8 Millimeter |
| Outer Race Width | 0.276 Inch 7 Millimeter |
| bore diameter: | 8 mm |
| precision rating: | Class 0 |
| outside diameter: | 22 mm |
| finish/coating: | Uncoated |
| overall width: | 7 mm |
| bearing material: | High Carbon Chrome Steel |
| bore type: | Round |
| cage material: | Steel |
| closure type: | Open |
| inner ring width: | 7 mm |
| row type & fill slot: | Single Row Non-Fill Slot |
| outer ring width: | 7 mm |
| snap ring included: | Without Snap Ring |
| maximum rpm (grease): | 32000 rpm |
| internal clearance: | CN |
| maximum rpm (oil): | 37000 rpm |
| operating temperature range: | -40 to 120 ° C |
| fillet radius: | 0.3 mm |
| dynamic load capacity: | 3350 N |
| manufacturer product page: | Click here |
| static load capacity: | 1400 N |